
## **Diurnal Variation in Anesthetic Care**

Clark Fisher, MD, PhD T32 Research Fellow, Anesthesiology Yale School of Medicine

Adapted from an Image Generated by DALL·E



### **Anesthetic Adverse Events** Duke 2000-2004





Case start time

DOI: 10.1136/qshc.2005.017566



#### Late Operating Room Start Times Impact Mortality and Cost for Nonemergent Cardiac Surgery

Kenan W. Yount, MD, MBA,\* Christine L. Lau, MD, MBA, Leora T. Yarboro, MD, Pari K. Chanta MD, Inving I. Kron, MD, John A. Korn, MD, and Gorav Ailawadi, MD

# Does the time of day in orthopedic trauma surgery affect mortality and complication rates?

Sascha Halvachiza Valentin Neuhaus

Time of Day Is Associated With Postoperative Morbidity An Analysis of the National Surgical Quality Improvement Program Data

Rachel R. Kelz, MD, MSCE, \*† Kathryn M. Freeman, BA,† Patrick W. Hosokawa, MS,‡ David A. Asch, MD, MBA,§¶ Francis R. Spitz, MD, \*† Miriam Moskowitz, RN, MSN,\* William G. Henderson, MPH, PhD, Marc E. Mitchell, MD, \*\* and Kamal M. F. Itani, MD, FACS††

- Perioperative outcomes vary across the day
- Many potential causes
- One *might* be anesthetic care

## Does anesthetic care vary across the OR Day?

## **ASPIRE Measures**








Neuromuscular Monitoring







G

Pain Management



Postoperative Nausea and Vomiting



Temperature



# Design

and the second second



## **Inclusion Criteria**

- Adult patients (≥18 years-old) in 2022 Standardized Data File
- January 1, 2016 December 31, 2021


## **Exclusion Criteria**

- Cardiac, obstetric and non-operative procedures
- ASA 5, 6, or E classes
- BMI < 15 | BMI > 60
- Weight < 30 kg | Weight >200 kg
- Fails inclusion/exclusion criteria >= 1 considered ASPIRE measure

 Inclusions include GETA, NMB, predicted surgical duration > 1 hr, predicted ventilation > 45 minutes, extubation in OR, patients not taken to ICU

### **Exposure: Anesthesia Start Time**

Early




Late

Start Time

### **Exposure: Anesthesia Start Time**

Early



Late

Start Time

## **Outcome: Measure Adherence Rates**


<b>BP-02</b>	Avoided
BP-03	Avoided I
<b>NMB-02</b>	Reversed
PAIN-02	Used nor
PONV-05	Used gra
<b>PUL-03</b>	Used app
TEMP-02	Monitore

- monitoring gaps
- MAP < 65 mmHg
- d neuromuscular blockade
- n-opioid analgesics
- aded PONV prophylaxis
- propriate PEEP
- ed core temperature


## Results



## Quality Measure Pass Rate Across the Day




## Quality Measure Pass Rate Across the Day



## Patients and Cases Vary Over the Day

#### **Covariate Balance**




#### Sample

Unadjusted

## **Propensity Score Matching Achieves Balance**

#### **Covariate Balance**




#### Sample

- Unadjusted
- Adjusted




## Effect of Late Start on Quality Measures




**Outcome Measure** 

## **Effect of Late Start on Quality Measures**



## Effect of Late Start on Quality Measures



Outcome Measure

## Interim Conclusions

- Shared trend of case start times
- Biggest case difference across day: case complexity and duration
- Many quality metrics remain constant across the day, however:
  - Marginal decrease in use of non-opioid analgesics and PONV prophylaxis as day progresses
  - Improvement in hypotension avoidance as day progresses (NNT = 15)

## Reflections on the MPOG Standardized Data File

Sec. Sec.

### Standardized ≈ MPOG Flat File Data File

### >200 Features

Case ID	Date	Institution	
e671f0fb-60	1/1/2016	1	
f847f04x-g5	1/1/2016	4	
f893750w-25	1/1/2016	19	



https://mpog.org/sdf/


- Uses robust phenotypes
- Less waiting for data
- No minute-by-minute physiology or medication data

## Do you need >12,000,000 cases?

R RStudio			—		×
File Edit Code View Plots Session Build Debug Profile Tools Help					
👽 - 💽 🕣 - 🕞 🖨 🧼 Go to file/function 🛛 🗄 - Addins -			R Pro	ject: (Non	ne) 👻
Console     Terminal ×     Background Jobs ×       R     A.3.0 · ~/      600 /	Environment				
<pre>R k430 · -/~</pre> R version 4.3.0 (2023-04-21 ucrt) "Already Tomorrow" Copyright (C) 2023 The R Foundation for Statistical Computing Platform: x86_64-w64-mingw32/x64 (64-bit) R is free software and comes with ABSOLUTELY NO WARRANTY. You are welcome to redistribute it under certain conditions. Type 'license()' or 'licence()' for distribution details. R is a collaborative project with many contributors. Type 'contributors()' for more information and 'citation()' on how to cite R or R packages in publications. Type 'demo()' for some demos, 'help()' for on-line help, or 'help.start()' for an HTML browser interface to help. Type 'q()' to quit R. > load("S:/PCRC 185 Fisher/Data/caseinfooriginalData.RData")	R 🕶 🛑 Gloi		nt - Q		
	Files Plots	Packages	Help	Viewer	P

### Consider the time involved and account for the opportunity cost.

## Do you need to check your data? YES.



#### Admission Туре Admit



Outpatient Inpatient

## Thank You

Yale Anesthesiology Robert B. Schonberger Hung-Mo Lin

#### Yale Center for Analytical Science Julian Zhao Yanhong Deng

Multicenter Perioperative Outcomes Group Michael Mathis MPOG Research Team

Support NIGMS 5T32GM086287-14 MPOG Outcomes Research Fellowship





